

Circumferinta roti bicicleta pentru setare ciclocomputer (foloseste valoarea din ultima coloană)

Janta	Cauciuc	Janta ISO	Cauciuc mm	Circumferință
28inch	20 mm	635	20	2120.58
28inch	23 mm	635	23	2139.42
28inch	25 mm	635	25	2151.99
28inch	26 mm	635	26	2158.27
28inch	27 mm	635	27	2164.56
28inch	28 mm	635	28	2170.84
28inch	30 mm	635	30	2183.41
28inch	32 mm	635	32	2195.97
28inch	35 mm	635	35	2214.82
28inch	37 mm	635	37	2227.39
28inch	38 mm	635	38	2233.67
28inch	40 mm	635	40	2246.24
28inch	42 mm	635	42	2258.81
28inch	44 mm	635	44	2271.37
28inch	45 mm	635	45	2277.65
28inch	50 mm	635	50	2309.07
28inch	56 mm	635	56	2346.77
28inch	1.00 inch	635	25.4	2154.5
28inch	1.25 inch	635	31.75	2194.4
28inch	1.35 inch	635	34.29	2210.36
28inch	1.40 inch	635	35.56	2218.34
28inch	1.50 inch	635	38.1	2234.3
28inch	1.75 inch	635	44.45	2274.2
28inch	1.90 inch	635	48.26	2298.14
28inch	1.95 inch	635	49.5	2305.93
28inch	2.00 inch	635	50.8	2314.1
28inch	2.10 inch	635	53.34	2330.06
28inch	2.125 inch	635	54	2334.2
28inch	2.20 inch	635	55.88	2346.02
28inch	2.25 inch	635	57.15	2354
28inch	2.30 inch	635	58.42	2361.98
28inch	2.35 inch	635	59.69	2369.95
28inch	2.40 inch	635	60.96	2377.93
28inch	2.50 inch	635	63.5	2393.89
28inch	2.60 inch	635	66.04	2409.85
28inch	2.75 inch	635	69.85	2433.79
28inch	2.80 inch	635	71.12	2441.77
28inch	3.00 inch	635	76.2	2473.69
28inch	3.80 inch	635	96.52	2601.36
28inch	4.00 inch	635	101.6	2633.28
28inch	4.25 inch	635	107.95	2673.18
28inch	4.50 inch	635	114.3	2713.08
28inch	4.60 inch	635	116.84	2729.04

28inch	4.70 inch	635	119.38	2745
28inch	4.80 inch	635	121.92	2760.96
28inch	4.90 inch	635	124.46	2776.92
27inch	20 mm	630	20	2104.87
27inch	23 mm	630	23	2123.72
27inch	25 mm	630	25	2136.28
27inch	26 mm	630	26	2142.57
27inch	27 mm	630	27	2148.85
27inch	28 mm	630	28	2155.13
27inch	30 mm	630	30	2167.7
27inch	32 mm	630	32	2180.27
27inch	35 mm	630	35	2199.11
27inch	37 mm	630	37	2211.68
27inch	38 mm	630	38	2217.96
27inch	40 mm	630	40	2230.53
27inch	42 mm	630	42	2243.1
27inch	44 mm	630	44	2255.66
27inch	45 mm	630	45	2261.95
27inch	50 mm	630	50	2293.36
27inch	56 mm	630	56	2331.06
27inch	1.00 inch	630	25.4	2138.8
27inch	1.25 inch	630	31.75	2178.69
27inch	1.35 inch	630	34.29	2194.65
27inch	1.40 inch	630	35.56	2202.63
27inch	1.50 inch	630	38.1	2218.59
27inch	1.75 inch	630	44.45	2258.49
27inch	1.90 inch	630	48.26	2282.43
27inch	1.95 inch	630	49.5	2290.22
27inch	2.00 inch	630	50.8	2298.39
27inch	2.10 inch	630	53.34	2314.35
27inch	2.125 inch	630	54	2318.5
27inch	2.20 inch	630	55.88	2330.31
27inch	2.25 inch	630	57.15	2338.29
27inch	2.30 inch	630	58.42	2346.27
27inch	2.35 inch	630	59.69	2354.25
27inch	2.40 inch	630	60.96	2362.23
27inch	2.50 inch	630	63.5	2378.19
27inch	2.60 inch	630	66.04	2394.14
27inch	2.75 inch	630	69.85	2418.08
27inch	2.80 inch	630	71.12	2426.06
27inch	3.00 inch	630	76.2	2457.98
27inch	3.80 inch	630	96.52	2585.66
27inch	4.00 inch	630	101.6	2617.57
27inch	4.25 inch	630	107.95	2657.47
27inch	4.50 inch	630	114.3	2697.37
27inch	4.60 inch	630	116.84	2713.33

27inch	4.70 inch	630	119.38	2729.29
27inch	4.80 inch	630	121.92	2745.25
27inch	4.90 inch	630	124.46	2761.21
700c/29er	20 mm	622	20	2079.73
700c/29er	23 mm	622	23	2098.58
700c/29er	25 mm	622	25	2111.15
700c/29er	26 mm	622	26	2117.43
700c/29er	27 mm	622	27	2123.72
700c/29er	28 mm	622	28	2130
700c/29er	30 mm	622	30	2142.57
700c/29er	32 mm	622	32	2155.13
700c/29er	35 mm	622	35	2173.98
700c/29er	37 mm	622	37	2186.55
700c/29er	38 mm	622	38	2192.83
700c/29er	40 mm	622	40	2205.4
700c/29er	42 mm	622	42	2217.96
700c/29er	44 mm	622	44	2230.53
700c/29er	45 mm	622	45	2236.81
700c/29er	50 mm	622	50	2268.23
700c/29er	56 mm	622	56	2305.93
700c/29er	1.00 inch	622	25.4	2113.66
700c/29er	1.25 inch	622	31.75	2153.56
700c/29er	1.35 inch	622	34.29	2169.52
700c/29er	1.40 inch	622	35.56	2177.5
700c/29er	1.50 inch	622	38.1	2193.46
700c/29er	1.75 inch	622	44.45	2233.36
700c/29er	1.90 inch	622	48.26	2257.3
700c/29er	1.95 inch	622	49.5	2265.09
700c/29er	2.00 inch	622	50.8	2273.26
700c/29er	2.10 inch	622	53.34	2289.22
700c/29er	2.125 inch	622	54	2293.36
700c/29er	2.20 inch	622	55.88	2305.18
700c/29er	2.25 inch	622	57.15	2313.15
700c/29er	2.30 inch	622	58.42	2321.13
700c/29er	2.35 inch	622	59.69	2329.11
700c/29er	2.40 inch	622	60.96	2337.09
700c/29er	2.50 inch	622	63.5	2353.05
700c/29er	2.60 inch	622	66.04	2369.01
700c/29er	2.75 inch	622	69.85	2392.95
700c/29er	2.80 inch	622	71.12	2400.93
700c/29er	3.00 inch	622	76.2	2432.85
700c/29er	3.80 inch	622	96.52	2560.52
700c/29er	4.00 inch	622	101.6	2592.44
700c/29er	4.25 inch	622	107.95	2632.34
700c/29er	4.50 inch	622	114.3	2672.24
700c/29er	4.60 inch	622	116.84	2688.2

700c/29er	4.70 inch	622	119.38	2704.16
700c/29er	4.80 inch	622	121.92	2720.12
700c/29er	4.90 inch	622	124.46	2736.08
650b/27.5	20 mm	584	20	1960.35
650b/27.5	23 mm	584	23	1979.2
650b/27.5	25 mm	584	25	1991.77
650b/27.5	26 mm	584	26	1998.05
650b/27.5	27 mm	584	27	2004.34
650b/27.5	28 mm	584	28	2010.62
650b/27.5	30 mm	584	30	2023.19
650b/27.5	32 mm	584	32	2035.75
650b/27.5	35 mm	584	35	2054.6
650b/27.5	37 mm	584	37	2067.17
650b/27.5	38 mm	584	38	2073.45
650b/27.5	40 mm	584	40	2086.02
650b/27.5	42 mm	584	42	2098.58
650b/27.5	44 mm	584	44	2111.15
650b/27.5	45 mm	584	45	2117.43
650b/27.5	50 mm	584	50	2148.85
650b/27.5	56 mm	584	56	2186.55
650b/27.5	1.00 inch	584	25.4	1994.28
650b/27.5	1.25 inch	584	31.75	2034.18
650b/27.5	1.35 inch	584	34.29	2050.14
650b/27.5	1.40 inch	584	35.56	2058.12
650b/27.5	1.50 inch	584	38.1	2074.08
650b/27.5	1.75 inch	584	44.45	2113.98
650b/27.5	1.90 inch	584	48.26	2137.92
650b/27.5	1.95 inch	584	49.5	2145.71
650b/27.5	2.00 inch	584	50.8	2153.88
650b/27.5	2.10 inch	584	53.34	2169.84
650b/27.5	2.125 inch	584	54	2173.98
650b/27.5	2.20 inch	584	55.88	2185.79
650b/27.5	2.25 inch	584	57.15	2193.77
650b/27.5	2.30 inch	584	58.42	2201.75
650b/27.5	2.35 inch	584	59.69	2209.73
650b/27.5	2.40 inch	584	60.96	2217.71
650b/27.5	2.50 inch	584	63.5	2233.67
650b/27.5	2.60 inch	584	66.04	2249.63
650b/27.5	2.75 inch	584	69.85	2273.57
650b/27.5	2.80 inch	584	71.12	2281.55
650b/27.5	3.00 inch	584	76.2	2313.47
650b/27.5	3.80 inch	584	96.52	2441.14
650b/27.5	4.00 inch	584	101.6	2473.06
650b/27.5	4.25 inch	584	107.95	2512.96
650b/27.5	4.50 inch	584	114.3	2552.86
650b/27.5	4.60 inch	584	116.84	2568.82

650b/27.5	4.70 inch	584	119.38	2584.78
650b/27.5	4.80 inch	584	121.92	2600.74
650b/27.5	4.90 inch	584	124.46	2616.7
650c	20 mm	571	20	1919.51
650c	23 mm	571	23	1938.36
650c	25 mm	571	25	1950.93
650c	26 mm	571	26	1957.21
650c	27 mm	571	27	1963.5
650c	28 mm	571	28	1969.78
650c	30 mm	571	30	1982.34
650c	32 mm	571	32	1994.91
650c	35 mm	571	35	2013.76
650c	37 mm	571	37	2026.33
650c	38 mm	571	38	2032.61
650c	40 mm	571	40	2045.18
650c	42 mm	571	42	2057.74
650c	44 mm	571	44	2070.31
650c	45 mm	571	45	2076.59
650c	50 mm	571	50	2108.01
650c	56 mm	571	56	2145.71
650c	1.00 inch	571	25.4	1953.44
650c	1.25 inch	571	31.75	1993.34
650c	1.35 inch	571	34.29	2009.3
650c	1.40 inch	571	35.56	2017.28
650c	1.50 inch	571	38.1	2033.24
650c	1.75 inch	571	44.45	2073.14
650c	1.90 inch	571	48.26	2097.08
650c	1.95 inch	571	49.5	2104.87
650c	2.00 inch	571	50.8	2113.04
650c	2.10 inch	571	53.34	2128.99
650c	2.125 inch	571	54	2133.14
650c	2.20 inch	571	55.88	2144.95
650c	2.25 inch	571	57.15	2152.93
650c	2.30 inch	571	58.42	2160.91
650c	2.35 inch	571	59.69	2168.89
650c	2.40 inch	571	60.96	2176.87
650c	2.50 inch	571	63.5	2192.83
650c	2.60 inch	571	66.04	2208.79
650c	2.75 inch	571	69.85	2232.73
650c	2.80 inch	571	71.12	2240.71
650c	3.00 inch	571	76.2	2272.63
650c	3.80 inch	571	96.52	2400.3
650c	4.00 inch	571	101.6	2432.22
650c	4.25 inch	571	107.95	2472.12
650c	4.50 inch	571	114.3	2512.02
650c	4.60 inch	571	116.84	2527.98

650c	4.70 inch	571	119.38	2543.94
650c	4.80 inch	571	121.92	2559.9
650c	4.90 inch	571	124.46	2575.85
26inch mtb	20 mm	559	20	1881.81
26inch mtb	23 mm	559	23	1900.66
26inch mtb	25 mm	559	25	1913.23
26inch mtb	26 mm	559	26	1919.51
26inch mtb	27 mm	559	27	1925.8
26inch mtb	28 mm	559	28	1932.08
26inch mtb	30 mm	559	30	1944.65
26inch mtb	32 mm	559	32	1957.21
26inch mtb	35 mm	559	35	1976.06
26inch mtb	37 mm	559	37	1988.63
26inch mtb	38 mm	559	38	1994.91
26inch mtb	40 mm	559	40	2007.48
26inch mtb	42 mm	559	42	2020.04
26inch mtb	44 mm	559	44	2032.61
26inch mtb	45 mm	559	45	2038.89
26inch mtb	50 mm	559	50	2070.31
26inch mtb	56 mm	559	56	2108.01
26inch mtb	1.00 inch	559	25.4	1915.74
26inch mtb	1.25 inch	559	31.75	1955.64
26inch mtb	1.35 inch	559	34.29	1971.6
26inch mtb	1.40 inch	559	35.56	1979.58
26inch mtb	1.50 inch	559	38.1	1995.54
26inch mtb	1.75 inch	559	44.45	2035.44
26inch mtb	1.90 inch	559	48.26	2059.38
26inch mtb	1.95 inch	559	49.5	2067.17
26inch mtb	2.00 inch	559	50.8	2075.34
26inch mtb	2.10 inch	559	53.34	2091.3
26inch mtb	2.125 inch	559	54	2095.44
26inch mtb	2.20 inch	559	55.88	2107.25
26inch mtb	2.25 inch	559	57.15	2115.23
26inch mtb	2.30 inch	559	58.42	2123.21
26inch mtb	2.35 inch	559	59.69	2131.19
26inch mtb	2.40 inch	559	60.96	2139.17
26inch mtb	2.50 inch	559	63.5	2155.13
26inch mtb	2.60 inch	559	66.04	2171.09
26inch mtb	2.75 inch	559	69.85	2195.03
26inch mtb	2.80 inch	559	71.12	2203.01
26inch mtb	3.00 inch	559	76.2	2234.93
26inch mtb	3.80 inch	559	96.52	2362.6
26inch mtb	4.00 inch	559	101.6	2394.52
26inch mtb	4.25 inch	559	107.95	2434.42
26inch mtb	4.50 inch	559	114.3	2474.32
26inch mtb	4.60 inch	559	116.84	2490.28

26inch mtb	4.70 inch	559	119.38	2506.24
26inch mtb	4.80 inch	559	121.92	2522.2
26inch mtb	4.90 inch	559	124.46	2538.16
24inch S5	20 mm	547	20	1844.11
24inch S5	23 mm	547	23	1862.96
24inch S5	25 mm	547	25	1875.53
24inch S5	26 mm	547	26	1881.81
24inch S5	27 mm	547	27	1888.1
24inch S5	28 mm	547	28	1894.38
24inch S5	30 mm	547	30	1906.95
24inch S5	32 mm	547	32	1919.51
24inch S5	35 mm	547	35	1938.36
24inch S5	37 mm	547	37	1950.93
24inch S5	38 mm	547	38	1957.21
24inch S5	40 mm	547	40	1969.78
24inch S5	42 mm	547	42	1982.34
24inch S5	44 mm	547	44	1994.91
24inch S5	45 mm	547	45	2001.19
24inch S5	50 mm	547	50	2032.61
24inch S5	56 mm	547	56	2070.31
24inch S5	1.00 inch	547	25.4	1878.04
24inch S5	1.25 inch	547	31.75	1917.94
24inch S5	1.35 inch	547	34.29	1933.9
24inch S5	1.40 inch	547	35.56	1941.88
24inch S5	1.50 inch	547	38.1	1957.84
24inch S5	1.75 inch	547	44.45	1997.74
24inch S5	1.90 inch	547	48.26	2021.68
24inch S5	1.95 inch	547	49.5	2029.47
24inch S5	2.00 inch	547	50.8	2037.64
24inch S5	2.10 inch	547	53.34	2053.6
24inch S5	2.125 inch	547	54	2057.74
24inch S5	2.20 inch	547	55.88	2069.56
24inch S5	2.25 inch	547	57.15	2077.54
24inch S5	2.30 inch	547	58.42	2085.51
24inch S5	2.35 inch	547	59.69	2093.49
24inch S5	2.40 inch	547	60.96	2101.47
24inch S5	2.50 inch	547	63.5	2117.43
24inch S5	2.60 inch	547	66.04	2133.39
24inch S5	2.75 inch	547	69.85	2157.33
24inch S5	2.80 inch	547	71.12	2165.31
24inch S5	3.00 inch	547	76.2	2197.23
24inch S5	3.80 inch	547	96.52	2324.9
24inch S5	4.00 inch	547	101.6	2356.82
24inch S5	4.25 inch	547	107.95	2396.72
24inch S5	4.50 inch	547	114.3	2436.62
24inch S5	4.60 inch	547	116.84	2452.58

24inch S5	4.70 inch	547	119.38	2468.54
24inch S5	4.80 inch	547	121.92	2484.5
24inch S5	4.90 inch	547	124.46	2500.46
24inch E6	20 mm	540	20	1822.12
24inch E6	23 mm	540	23	1840.97
24inch E6	25 mm	540	25	1853.54
24inch E6	26 mm	540	26	1859.82
24inch E6	27 mm	540	27	1866.11
24inch E6	28 mm	540	28	1872.39
24inch E6	30 mm	540	30	1884.96
24inch E6	32 mm	540	32	1897.52
24inch E6	35 mm	540	35	1916.37
24inch E6	37 mm	540	37	1928.94
24inch E6	38 mm	540	38	1935.22
24inch E6	40 mm	540	40	1947.79
24inch E6	42 mm	540	42	1960.35
24inch E6	44 mm	540	44	1972.92
24inch E6	45 mm	540	45	1979.2
24inch E6	50 mm	540	50	2010.62
24inch E6	56 mm	540	56	2048.32
24inch E6	1.00 inch	540	25.4	1856.05
24inch E6	1.25 inch	540	31.75	1895.95
24inch E6	1.35 inch	540	34.29	1911.91
24inch E6	1.40 inch	540	35.56	1919.89
24inch E6	1.50 inch	540	38.1	1935.85
24inch E6	1.75 inch	540	44.45	1975.75
24inch E6	1.90 inch	540	48.26	1999.69
24inch E6	1.95 inch	540	49.5	2007.48
24inch E6	2.00 inch	540	50.8	2015.65
24inch E6	2.10 inch	540	53.34	2031.61
24inch E6	2.125 inch	540	54	2035.75
24inch E6	2.20 inch	540	55.88	2047.56
24inch E6	2.25 inch	540	57.15	2055.54
24inch E6	2.30 inch	540	58.42	2063.52
24inch E6	2.35 inch	540	59.69	2071.5
24inch E6	2.40 inch	540	60.96	2079.48
24inch E6	2.50 inch	540	63.5	2095.44
24inch E6	2.60 inch	540	66.04	2111.4
24inch E6	2.75 inch	540	69.85	2135.34
24inch E6	2.80 inch	540	71.12	2143.32
24inch E6	3.00 inch	540	76.2	2175.24
24inch E6	3.80 inch	540	96.52	2302.91
24inch E6	4.00 inch	540	101.6	2334.83
24inch E6	4.25 inch	540	107.95	2374.73
24inch E6	4.50 inch	540	114.3	2414.63
24inch E6	4.60 inch	540	116.84	2430.59

24inch E6	4.70 inch	540	119.38	2446.55
24inch E6	4.80 inch	540	121.92	2462.51
24inch E6	4.90 inch	540	124.46	2478.47
24inch Terry	20 mm	520	20	1759.29
24inch Terry	23 mm	520	23	1778.14
24inch Terry	25 mm	520	25	1790.71
24inch Terry	26 mm	520	26	1796.99
24inch Terry	27 mm	520	27	1803.27
24inch Terry	28 mm	520	28	1809.56
24inch Terry	30 mm	520	30	1822.12
24inch Terry	32 mm	520	32	1834.69
24inch Terry	35 mm	520	35	1853.54
24inch Terry	37 mm	520	37	1866.11
24inch Terry	38 mm	520	38	1872.39
24inch Terry	40 mm	520	40	1884.96
24inch Terry	42 mm	520	42	1897.52
24inch Terry	44 mm	520	44	1910.09
24inch Terry	45 mm	520	45	1916.37
24inch Terry	50 mm	520	50	1947.79
24inch Terry	56 mm	520	56	1985.49
24inch Terry	1.00 inch	520	25.4	1793.22
24inch Terry	1.25 inch	520	31.75	1833.12
24inch Terry	1.35 inch	520	34.29	1849.08
24inch Terry	1.40 inch	520	35.56	1857.06
24inch Terry	1.50 inch	520	38.1	1873.02
24inch Terry	1.75 inch	520	44.45	1912.92
24inch Terry	1.90 inch	520	48.26	1936.85
24inch Terry	1.95 inch	520	49.5	1944.65
24inch Terry	2.00 inch	520	50.8	1952.81
24inch Terry	2.10 inch	520	53.34	1968.77
24inch Terry	2.125 inch	520	54	1972.92
24inch Terry	2.20 inch	520	55.88	1984.73
24inch Terry	2.25 inch	520	57.15	1992.71
24inch Terry	2.30 inch	520	58.42	2000.69
24inch Terry	2.35 inch	520	59.69	2008.67
24inch Terry	2.40 inch	520	60.96	2016.65
24inch Terry	2.50 inch	520	63.5	2032.61
24inch Terry	2.60 inch	520	66.04	2048.57
24inch Terry	2.75 inch	520	69.85	2072.51
24inch Terry	2.80 inch	520	71.12	2080.49
24inch Terry	3.00 inch	520	76.2	2112.41
24inch Terry	3.80 inch	520	96.52	2240.08
24inch Terry	4.00 inch	520	101.6	2272
24inch Terry	4.25 inch	520	107.95	2311.9
24inch Terry	4.50 inch	520	114.3	2351.8
24inch Terry	4.60 inch	520	116.84	2367.76

24inch Terry	4.70 inch	520	119.38	2383.71
24inch Terry	4.80 inch	520	121.92	2399.67
24inch Terry	4.90 inch	520	124.46	2415.63
24inch MTB/BMX	20 mm	507	20	1718.45
24inch MTB/BMX	23 mm	507	23	1737.3
24inch MTB/BMX	25 mm	507	25	1749.87
24inch MTB/BMX	26 mm	507	26	1756.15
24inch MTB/BMX	27 mm	507	27	1762.43
24inch MTB/BMX	28 mm	507	28	1768.72
24inch MTB/BMX	30 mm	507	30	1781.28
24inch MTB/BMX	32 mm	507	32	1793.85
24inch MTB/BMX	35 mm	507	35	1812.7
24inch MTB/BMX	37 mm	507	37	1825.27
24inch MTB/BMX	38 mm	507	38	1831.55
24inch MTB/BMX	40 mm	507	40	1844.11
24inch MTB/BMX	42 mm	507	42	1856.68
24inch MTB/BMX	44 mm	507	44	1869.25
24inch MTB/BMX	45 mm	507	45	1875.53
24inch MTB/BMX	50 mm	507	50	1906.95
24inch MTB/BMX	56 mm	507	56	1944.65
24inch MTB/BMX	1.00 inch	507	25.4	1752.38
24inch MTB/BMX	1.25 inch	507	31.75	1792.28
24inch MTB/BMX	1.35 inch	507	34.29	1808.24
24inch MTB/BMX	1.40 inch	507	35.56	1816.22
24inch MTB/BMX	1.50 inch	507	38.1	1832.18
24inch MTB/BMX	1.75 inch	507	44.45	1872.08
24inch MTB/BMX	1.90 inch	507	48.26	1896.01
24inch MTB/BMX	1.95 inch	507	49.5	1903.81
24inch MTB/BMX	2.00 inch	507	50.8	1911.97
24inch MTB/BMX	2.10 inch	507	53.34	1927.93
24inch MTB/BMX	2.125 inch	507	54	1932.08
24inch MTB/BMX	2.20 inch	507	55.88	1943.89
24inch MTB/BMX	2.25 inch	507	57.15	1951.87
24inch MTB/BMX	2.30 inch	507	58.42	1959.85
24inch MTB/BMX	2.35 inch	507	59.69	1967.83
24inch MTB/BMX	2.40 inch	507	60.96	1975.81
24inch MTB/BMX	2.50 inch	507	63.5	1991.77
24inch MTB/BMX	2.60 inch	507	66.04	2007.73
24inch MTB/BMX	2.75 inch	507	69.85	2031.67
24inch MTB/BMX	2.80 inch	507	71.12	2039.65
24inch MTB/BMX	3.00 inch	507	76.2	2071.57
24inch MTB/BMX	3.80 inch	507	96.52	2199.24
24inch MTB/BMX	4.00 inch	507	101.6	2231.16
24inch MTB/BMX	4.25 inch	507	107.95	2271.06
24inch MTB/BMX	4.50 inch	507	114.3	2310.96
24inch MTB/BMX	4.60 inch	507	116.84	2326.91

24inch MTB/BMX	4.70 inch	507	119.38	2342.87
24inch MTB/BMX	4.80 inch	507	121.92	2358.83
24inch MTB/BMX	4.90 inch	507	124.46	2374.79
20inch Recumbent	20 mm	451	20	1542.52
20inch Recumbent	23 mm	451	23	1561.37
20inch Recumbent	25 mm	451	25	1573.94
20inch Recumbent	26 mm	451	26	1580.22
20inch Recumbent	27 mm	451	27	1586.5
20inch Recumbent	28 mm	451	28	1592.79
20inch Recumbent	30 mm	451	30	1605.35
20inch Recumbent	32 mm	451	32	1617.92
20inch Recumbent	35 mm	451	35	1636.77
20inch Recumbent	37 mm	451	37	1649.34
20inch Recumbent	38 mm	451	38	1655.62
20inch Recumbent	40 mm	451	40	1668.19
20inch Recumbent	42 mm	451	42	1680.75
20inch Recumbent	44 mm	451	44	1693.32
20inch Recumbent	45 mm	451	45	1699.6
20inch Recumbent	50 mm	451	50	1731.02
20inch Recumbent	56 mm	451	56	1768.72
20inch Recumbent	1.00 inch	451	25.4	1576.45
20inch Recumbent	1.25 inch	451	31.75	1616.35
20inch Recumbent	1.35 inch	451	34.29	1632.31
20inch Recumbent	1.40 inch	451	35.56	1640.29
20inch Recumbent	1.50 inch	451	38.1	1656.25
20inch Recumbent	1.75 inch	451	44.45	1696.15
20inch Recumbent	1.90 inch	451	48.26	1720.08
20inch Recumbent	1.95 inch	451	49.5	1727.88
20inch Recumbent	2.00 inch	451	50.8	1736.04
20inch Recumbent	2.10 inch	451	53.34	1752
20inch Recumbent	2.125 inch	451	54	1756.15
20inch Recumbent	2.20 inch	451	55.88	1767.96
20inch Recumbent	2.25 inch	451	57.15	1775.94
20inch Recumbent	2.30 inch	451	58.42	1783.92
20inch Recumbent	2.35 inch	451	59.69	1791.9
20inch Recumbent	2.40 inch	451	60.96	1799.88
20inch Recumbent	2.50 inch	451	63.5	1815.84
20inch Recumbent	2.60 inch	451	66.04	1831.8
20inch Recumbent	2.75 inch	451	69.85	1855.74
20inch Recumbent	2.80 inch	451	71.12	1863.72
20inch Recumbent	3.00 inch	451	76.2	1895.64
20inch Recumbent	3.80 inch	451	96.52	2023.31
20inch Recumbent	4.00 inch	451	101.6	2055.23
20inch Recumbent	4.25 inch	451	107.95	2095.13
20inch Recumbent	4.50 inch	451	114.3	2135.03
20inch Recumbent	4.60 inch	451	116.84	2150.99

20inch Recumbent	4.70 inch	451	119.38	2166.94
20inch Recumbent	4.80 inch	451	121.92	2182.9
20inch Recumbent	4.90 inch	451	124.46	2198.86
20inch Schwinn	20 mm	419	20	1441.99
20inch Schwinn	23 mm	419	23	1460.84
20inch Schwinn	25 mm	419	25	1473.41
20inch Schwinn	26 mm	419	26	1479.69
20inch Schwinn	27 mm	419	27	1485.97
20inch Schwinn	28 mm	419	28	1492.26
20inch Schwinn	30 mm	419	30	1504.82
20inch Schwinn	32 mm	419	32	1517.39
20inch Schwinn	35 mm	419	35	1536.24
20inch Schwinn	37 mm	419	37	1548.81
20inch Schwinn	38 mm	419	38	1555.09
20inch Schwinn	40 mm	419	40	1567.65
20inch Schwinn	42 mm	419	42	1580.22
20inch Schwinn	44 mm	419	44	1592.79
20inch Schwinn	45 mm	419	45	1599.07
20inch Schwinn	50 mm	419	50	1630.49
20inch Schwinn	56 mm	419	56	1668.19
20inch Schwinn	1.00 inch	419	25.4	1475.92
20inch Schwinn	1.25 inch	419	31.75	1515.82
20inch Schwinn	1.35 inch	419	34.29	1531.78
20inch Schwinn	1.40 inch	419	35.56	1539.76
20inch Schwinn	1.50 inch	419	38.1	1555.72
20inch Schwinn	1.75 inch	419	44.45	1595.61
20inch Schwinn	1.90 inch	419	48.26	1619.55
20inch Schwinn	1.95 inch	419	49.5	1627.34
20inch Schwinn	2.00 inch	419	50.8	1635.51
20inch Schwinn	2.10 inch	419	53.34	1651.47
20inch Schwinn	2.125 inch	419	54	1655.62
20inch Schwinn	2.20 inch	419	55.88	1667.43
20inch Schwinn	2.25 inch	419	57.15	1675.41
20inch Schwinn	2.30 inch	419	58.42	1683.39
20inch Schwinn	2.35 inch	419	59.69	1691.37
20inch Schwinn	2.40 inch	419	60.96	1699.35
20inch Schwinn	2.50 inch	419	63.5	1715.31
20inch Schwinn	2.60 inch	419	66.04	1731.27
20inch Schwinn	2.75 inch	419	69.85	1755.21
20inch Schwinn	2.80 inch	419	71.12	1763.19
20inch Schwinn	3.00 inch	419	76.2	1795.11
20inch Schwinn	3.80 inch	419	96.52	1922.78
20inch Schwinn	4.00 inch	419	101.6	1954.7
20inch Schwinn	4.25 inch	419	107.95	1994.6
20inch Schwinn	4.50 inch	419	114.3	2034.5
20inch Schwinn	4.60 inch	419	116.84	2050.45

20inch Schwinn	4.70 inch	419	119.38	2066.41
20inch Schwinn	4.80 inch	419	121.92	2082.37
20inch Schwinn	4.90 inch	419	124.46	2098.33
20inch BMX/Recumb	20 mm	406	20	1401.15
20inch BMX/Recumb	23 mm	406	23	1420
20inch BMX/Recumb	25 mm	406	25	1432.57
20inch BMX/Recumb	26 mm	406	26	1438.85
20inch BMX/Recumb	27 mm	406	27	1445.13
20inch BMX/Recumb	28 mm	406	28	1451.42
20inch BMX/Recumb	30 mm	406	30	1463.98
20inch BMX/Recumb	32 mm	406	32	1476.55
20inch BMX/Recumb	35 mm	406	35	1495.4
20inch BMX/Recumb	37 mm	406	37	1507.96
20inch BMX/Recumb	38 mm	406	38	1514.25
20inch BMX/Recumb	40 mm	406	40	1526.81
20inch BMX/Recumb	42 mm	406	42	1539.38
20inch BMX/Recumb	44 mm	406	44	1551.95
20inch BMX/Recumb	45 mm	406	45	1558.23
20inch BMX/Recumb	50 mm	406	50	1589.65
20inch BMX/Recumb	56 mm	406	56	1627.34
20inch BMX/Recumb	1.00 inch	406	25.4	1435.08
20inch BMX/Recumb	1.25 inch	406	31.75	1474.98
20inch BMX/Recumb	1.35 inch	406	34.29	1490.94
20inch BMX/Recumb	1.40 inch	406	35.56	1498.92
20inch BMX/Recumb	1.50 inch	406	38.1	1514.88
20inch BMX/Recumb	1.75 inch	406	44.45	1554.77
20inch BMX/Recumb	1.90 inch	406	48.26	1578.71
20inch BMX/Recumb	1.95 inch	406	49.5	1586.5
20inch BMX/Recumb	2.00 inch	406	50.8	1594.67
20inch BMX/Recumb	2.10 inch	406	53.34	1610.63
20inch BMX/Recumb	2.125 inch	406	54	1614.78
20inch BMX/Recumb	2.20 inch	406	55.88	1626.59
20inch BMX/Recumb	2.25 inch	406	57.15	1634.57
20inch BMX/Recumb	2.30 inch	406	58.42	1642.55
20inch BMX/Recumb	2.35 inch	406	59.69	1650.53
20inch BMX/Recumb	2.40 inch	406	60.96	1658.51
20inch BMX/Recumb	2.50 inch	406	63.5	1674.47
20inch BMX/Recumb	2.60 inch	406	66.04	1690.43
20inch BMX/Recumb	2.75 inch	406	69.85	1714.37
20inch BMX/Recumb	2.80 inch	406	71.12	1722.35
20inch BMX/Recumb	3.00 inch	406	76.2	1754.27
20inch BMX/Recumb	3.80 inch	406	96.52	1881.94
20inch BMX/Recumb	4.00 inch	406	101.6	1913.86
20inch BMX/Recumb	4.25 inch	406	107.95	1953.76
20inch BMX/Recumb	4.50 inch	406	114.3	1993.65
20inch BMX/Recumb	4.60 inch	406	116.84	2009.61

20inch BMX/Recumb	4.70 inch	406	119.38	2025.57
20inch BMX/Recumb	4.80 inch	406	121.92	2041.53
20inch BMX/Recumb	4.90 inch	406	124.46	2057.49
17inch	20 mm	369	20	1284.91
17inch	23 mm	369	23	1303.76
17inch	25 mm	369	25	1316.33
17inch	26 mm	369	26	1322.61
17inch	27 mm	369	27	1328.89
17inch	28 mm	369	28	1335.18
17inch	30 mm	369	30	1347.74
17inch	32 mm	369	32	1360.31
17inch	35 mm	369	35	1379.16
17inch	37 mm	369	37	1391.73
17inch	38 mm	369	38	1398.01
17inch	40 mm	369	40	1410.58
17inch	42 mm	369	42	1423.14
17inch	44 mm	369	44	1435.71
17inch	45 mm	369	45	1441.99
17inch	50 mm	369	50	1473.41
17inch	56 mm	369	56	1511.11
17inch	1.00 inch	369	25.4	1318.84
17inch	1.25 inch	369	31.75	1358.74
17inch	1.35 inch	369	34.29	1374.7
17inch	1.40 inch	369	35.56	1382.68
17inch	1.50 inch	369	38.1	1398.64
17inch	1.75 inch	369	44.45	1438.54
17inch	1.90 inch	369	48.26	1462.47
17inch	1.95 inch	369	49.5	1470.27
17inch	2.00 inch	369	50.8	1478.43
17inch	2.10 inch	369	53.34	1494.39
17inch	2.125 inch	369	54	1498.54
17inch	2.20 inch	369	55.88	1510.35
17inch	2.25 inch	369	57.15	1518.33
17inch	2.30 inch	369	58.42	1526.31
17inch	2.35 inch	369	59.69	1534.29
17inch	2.40 inch	369	60.96	1542.27
17inch	2.50 inch	369	63.5	1558.23
17inch	2.60 inch	369	66.04	1574.19
17inch	2.75 inch	369	69.85	1598.13
17inch	2.80 inch	369	71.12	1606.11
17inch	3.00 inch	369	76.2	1638.03
17inch	3.80 inch	369	96.52	1765.7
17inch	4.00 inch	369	101.6	1797.62
17inch	4.25 inch	369	107.95	1837.52
17inch	4.50 inch	369	114.3	1877.42
17inch	4.60 inch	369	116.84	1893.38

17inch	4.70 inch	369	119.38	1909.33
17inch	4.80 inch	369	121.92	1925.29
17inch	4.90 inch	369	124.46	1941.25
16inch Brompton	20 mm	349	20	1222.08
16inch Brompton	23 mm	349	23	1240.93
16inch Brompton	25 mm	349	25	1253.5
16inch Brompton	26 mm	349	26	1259.78
16inch Brompton	27 mm	349	27	1266.06
16inch Brompton	28 mm	349	28	1272.35
16inch Brompton	30 mm	349	30	1284.91
16inch Brompton	32 mm	349	32	1297.48
16inch Brompton	35 mm	349	35	1316.33
16inch Brompton	37 mm	349	37	1328.89
16inch Brompton	38 mm	349	38	1335.18
16inch Brompton	40 mm	349	40	1347.74
16inch Brompton	42 mm	349	42	1360.31
16inch Brompton	44 mm	349	44	1372.88
16inch Brompton	45 mm	349	45	1379.16
16inch Brompton	50 mm	349	50	1410.58
16inch Brompton	56 mm	349	56	1448.27
16inch Brompton	1.00 inch	349	25.4	1256.01
16inch Brompton	1.25 inch	349	31.75	1295.91
16inch Brompton	1.35 inch	349	34.29	1311.87
16inch Brompton	1.40 inch	349	35.56	1319.85
16inch Brompton	1.50 inch	349	38.1	1335.81
16inch Brompton	1.75 inch	349	44.45	1375.7
16inch Brompton	1.90 inch	349	48.26	1399.64
16inch Brompton	1.95 inch	349	49.5	1407.43
16inch Brompton	2.00 inch	349	50.8	1415.6
16inch Brompton	2.10 inch	349	53.34	1431.56
16inch Brompton	2.125 inch	349	54	1435.71
16inch Brompton	2.20 inch	349	55.88	1447.52
16inch Brompton	2.25 inch	349	57.15	1455.5
16inch Brompton	2.30 inch	349	58.42	1463.48
16inch Brompton	2.35 inch	349	59.69	1471.46
16inch Brompton	2.40 inch	349	60.96	1479.44
16inch Brompton	2.50 inch	349	63.5	1495.4
16inch Brompton	2.60 inch	349	66.04	1511.36
16inch Brompton	2.75 inch	349	69.85	1535.3
16inch Brompton	2.80 inch	349	71.12	1543.28
16inch Brompton	3.00 inch	349	76.2	1575.19
16inch Brompton	3.80 inch	349	96.52	1702.87
16inch Brompton	4.00 inch	349	101.6	1734.79
16inch Brompton	4.25 inch	349	107.95	1774.69
16inch Brompton	4.50 inch	349	114.3	1814.58
16inch Brompton	4.60 inch	349	116.84	1830.54

16inch Brompton	4.70 inch	349	119.38	1846.5
16inch Brompton	4.80 inch	349	121.92	1862.46
16inch Brompton	4.90 inch	349	124.46	1878.42